Freeform Search

Database	US Pre-Grant Publication Full-Text Database US Patents Full-Text Database US OCR Full-Text Database EPO Abstracts Database JPO Abstracts Database Derwent World Patents Index IBM Technical Disclosure Bulletins		
Term:	11 and traffic channel with full rate same (cod\$3 or encod\$3 or decod\$3) and 'pdtch'		
Display:	Documents in <u>Display Format</u> : - Starting with Number 1		
Generate: C Hit List @ Hit Count C Side by Side C Image			
Search Clear Interrupt			
Search History			

DATE: Wednesday, February 11, 2004 Printable Copy Create Case

Set Name	Query	Hit Count	Set Name
side by side			result set
DB=PGP	PB, USPT, USOC, EPAB, JPAB, DWPI, TDBD; PLUR=YES	S; OP=ADJ	
<u>L5</u>	('6188351')!.PN.	2	<u>L5</u>
<u>L4</u>	11 and traffic channel with full rate and 'pdtch'	4	<u>L4</u>
<u>L3</u>	('20020108089')!.PN.	2	<u>L3</u>
<u>L2</u>	11 and traffic channel with full rate same 'pdtch'	2	<u>L2</u>
<u>L1</u>	traffic channel with full rate	293	<u>L1</u>

END OF SEARCH HISTORY

h

e b

b cg b

WEST Search History

Hide Items Restore Clear Cancel

DATE: Wednesday, February 11, 2004

Hide?	<u>Set</u> Name	Query	<u>Hit</u> Count
	DB=	PGPB,USPT,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=ADJ	
	L64	L62 and ('gms' or mobile near3 (system or enhanc\$5)) and ('gprs' or packet near2 radio)	0
	L63	L62 and 'gms' and 'gprs'	0
\Box	L62	157 and full near2 (rate or channel)	84
	L61	160 and 'gprs'	1
	L60	157 and full near2 (rata or channel)	30
-	L59	157 and full near2 (rata or channel) and 'gsm' and 'gprs'	0
	L58	157 and full near2 (rata or channel) and 'gms' and 'gprs'	0
	L57	(375/261,265,262,295,298).ccls.	2355
	DB=	USPT,PGPB,JPAB,EPAB,DWPI,TDBD; PLUR=YES; OP=ADJ	
	L56	((('6578173' '5931965' '5907565' '5838728' '5784417') [ABPN1,NRPN,PN,TBAN,WKU]) and @pd > 20030902) and @pd > 20040205	0
	L55	((('20020059551') [ABPN1,NRPN,PN,TBAN,WKU]) and @pd > 20030902) and @pd > 20040205	0
	L54	((('20020067777') [ABPN1,NRPN,PN,TBAN,WKU]) and @pd > 20030902) and @pd > 20040205	0
m	L53	((('6226315') [ABPN1,NRPN,PN,TBAN,WKU]) and @pd > 20030902) and @pd > 20040205	0
	L52	((('20020108089') [ABPN1,NRPN,PN,TBAN,WKU]) and @pd > 20030902) and @pd > 20040205	0
	L51	((L50 and trellis with (cod\$3 or encod\$3 or decod\$3) same wire\$1less same (fail\$4 or err\$7 or defect\$3 or fault\$3 or bug\$4 or disper\$7 or fad\$4 or distor\$4 or nois\$5) and radio and (qam or modulat\$3) and euclid\$4 with (separation or euclid\$4 or distance) and (power or energy) with (decreas\$3 or reduc\$4 or lower\$3) and (voc\$3 or sound or voice or isochron\$4 or delay\$4 near2 sensitiv\$7 or speech or audio\$5)) and @pd > 20030902) and @pd > 20040205	1
	L50	((L49 and trellis with (cod\$3 or encod\$3 or decod\$3) same wire\$1less same (fail\$4 or err\$7 or defect\$3 or fault\$3 or bug\$4 or disper\$7 or fad\$4 or distor\$4 or nois\$5) and radio and (qam or modulat\$3) and euclid\$4 with (separation or euclid\$4 or distance) and (power or energy) with (decreas\$3 or reduc\$4 or lower\$3)) and @pd > 20030902) and @pd > 20040205	1
m	L49	((L48 and trellis with (cod\$3 or encod\$3 or decod\$3) same wire\$11ess same (fail\$4 or err\$7 or defect\$3 or fault\$3 or bug\$4 or disper\$7 or fad\$4 or distor\$4 or nois\$5) and radio and (qam or modulat\$3) and euclid\$4 with (separation or euclid\$4 or distance)) and @pd > 20030902) and @pd > 20040205	1
		((L47 and trellis with (cod\$3 or encod\$3 or decod\$3) same wire\$1less same	

 $chh \qquad e \qquad f \qquad f \quad c \quad e \quad g \qquad e$

	L48	(fail\$4 or err\$7 or defect\$3 or fault\$3 or bug\$4 or disper\$7 or fad\$4 or distor\$4 or nois\$5) and radio and (qam or modulat\$3) and (separation or euclid\$4 or distance)) and @pd > 20030902) and @pd > 20040205	1
	L47	((trellis with (cod\$3 or encod\$3 or decod\$3) same wire\$1less same (fail\$4 or err\$7 or defect\$3 or fault\$3 or bug\$4 or disper\$7 or fad\$4 or distor\$4 or nois\$5)) and @pd > 20030902) and @pd > 20040205	1
Π	L46	((trellis with (cod\$3 or encod\$3 or decod\$3) same wire\$1less) and @pd > 20030902) and @pd > 20040205	1
	DB=	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=ADJ	
	L45	(('20030073464' '20020108089' '6529559')!.PN.) and @pd > 20040205	0
	L44	(L43 and (quadrature near2 (modulat\$3) or 'qam') and ('gprs' or general near3 (packet or radio) or enhanc\$6 near3 (global or 'gsm')) and interleav\$3 and trellis and euclid\$4) and @pd > 20040205	0
	L43	((quadrature near2 (modulat\$3) or 'qam') and ('gprs' or general near3(packet or radio) or enhanc\$6 near3 (global or 'gsm')) and interleav\$3 and trellis) and @pd > 20040205	0
	L42	(('6160854' '5790570')!.PN.) and @pd > 20040205	0
	L41	(L39 and (quadrature near2 (modulat\$3) or 'qam') and ('gprs' or general near3 (packet or radio)or 'edge' or enhanc\$6 near3 (global or 'gsm')) same interleav\$3 same trellis) and @pd > 20040205	0
	L40	(L39 and quadrature near2 (modulat\$3 or 'qad') and ('gprs' or general near3 (packet or radio)or 'edge' or enhanc\$6 near3 (global or 'gsm')) same interleav\$3 same trellis) and @pd > 20040205	0
П	L39	(('20030167441' '20020194570' '6160854' '5790570')!.PN.) and @pd > 20040205	0
Π	L38	(('gprs' or general near3(packet or radio)or 'edge' or enhanc\$6 near3 (global or 'gsm')) same interleav\$3 same trellis) and @pd > 20040205	0
	L37	(('6317418' '20020003846')!.PN.) and @pd > 20040205	0
	DB=	USPT,PGPB,JPAB,EPAB,DWPI,TDBD; PLUR=YES; OP=ADJ	
	L36	((('6578173' '5931965' '5907565' '5838728' '5784417') [ABPN1,NRPN,PN,TBAN,WKU]) and @pd > 20030902) and @pd > 20040205	0
	L35	((('20020059551') [ABPN1,NRPN,PN,TBAN,WKU]) and @pd > 20030902) and @pd > 20040205	0
Г	L34	((('20020067777') [ABPN1,NRPN,PN,TBAN,WKU]) and @pd > 20030902) and @pd > 20040205	0
	L33	((('6226315') [ABPN1,NRPN,PN,TBAN,WKU]) and @pd > 20030902) and @pd > 20040205	0
	L32	((('20020108089') [ABPN1,NRPN,PN,TBAN,WKU]) and @pd > 20030902) and @pd > 20040205	0
	L31	((L30 and trellis with (cod\$3 or encod\$3 or decod\$3) same wire\$1less same (fail\$4 or err\$7 or defect\$3 or fault\$3 or bug\$4 or disper\$7 or fad\$4 or distor\$4 or nois\$5) and radio and (qam or modulat\$3) and euclid\$4 with (separation or euclid\$4 or distance) and (power or energy) with (decreas\$3 or reduc\$4 or lower\$3) and (voc\$3 or sound or voice or isochron\$4 or delay\$4 near2 sensitiv\$7 or speech or audio\$5)) and @pd > 20030902) and @pd > 20040205	1
		((L29 and trellis with (cod\$3 or encod\$3 or decod\$3) same wire\$1less same	

Γ	130	(fail\$4 or err\$7 or defect\$3 or fault\$3 or bug\$4 or disper\$7 or fad\$4 or distor\$4 or nois\$5) and radio and (qam or modulat\$3) and euclid\$4 with (separation or euclid\$4 or distance) and (power or energy) with (decreas\$3 or reduc\$4 or lower\$3)) and @pd > 20030902) and @pd > 20040205	1
Γ	L29	((L28 and trellis with (cod\$3 or encod\$3 or decod\$3) same wire\$1less same (fail\$4 or err\$7 or defect\$3 or fault\$3 or bug\$4 or disper\$7 or fad\$4 or distor\$4 or nois\$5) and radio and (qam or modulat\$3) and euclid\$4 with (separation or euclid\$4 or distance)) and @pd > 20030902) and @pd > 20040205	1
Γ	L28	((L27 and trellis with (cod\$3 or encod\$3 or decod\$3) same wire\$1less same (fail\$4 or err\$7 or defect\$3 or fault\$3 or bug\$4 or disper\$7 or fad\$4 or distor\$4 or nois\$5) and radio and (qam or modulat\$3) and (separation or euclid\$4 or distance)) and @pd > 20030902) and @pd > 20040205	1
Ε	L27	((trellis with (cod\$3 or encod\$3 or decod\$3) same wire\$1less same (fail\$4 or err\$7 or defect\$3 or fault\$3 or bug\$4 or disper\$7 or fad\$4 or distor\$4 or nois\$5)) and @pd > 20030902) and @pd > 20040205	1
Γ	L26	((trellis with (cod\$3 or encod\$3 or decod\$3) same wire\$1less) and @pd > 20030902) and @pd > 20040205	1
	DB=	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD; PLUR=YES; OP=ADJ	
Γ	L25	(('20030073464' '20020108089' '6529559')!.PN.) and @pd > 20040205	0
Γ	L24	(L23 and (quadrature near2 (modulat\$3) or 'qam') and ('gprs' or general near3 (packet or radio) or enhanc\$6 near3 (global or 'gsm')) and interleav\$3 and trellis and euclid\$4) and @pd > 20040205	0
r	L23	((quadrature near2 (modulat\$3) or 'qam') and ('gprs' or general near3(packet or radio) or enhanc\$6 near3 (global or 'gsm')) and interleav\$3 and trellis) and @pd > 20040205	0
Γ	L22	(('6160854' '5790570')!.PN.) and @pd > 20040205	0
Π	L21	(L19 and (quadrature near2 (modulat\$3) or 'qam') and ('gprs' or general near3 (packet or radio)or 'edge' or enhanc\$6 near3 (global or 'gsm')) same interleav\$3 same trellis) and @pd > 20040205	0
r	L20	(L19 and quadrature near2 (modulat\$3 or 'qad') and ('gprs' or general near3 (packet or radio)or 'edge' or enhanc\$6 near3 (global or 'gsm')) same interleav\$3 same trellis) and @pd > 20040205	0
r	L19	(('20030167441' '20020194570' '6160854' '5790570')!.PN.) and @pd > 20040205	0
ſ	L18	(('gprs' or general near3(packet or radio)or 'edge' or enhanc\$6 near3 (global or 'gsm')) same interleav\$3 same trellis) and @pd > 20040205	0
Π	L17	('6438115')!.PN.	2
ľ	L16	traffic near2 channel same (full or high) near2 rate and (cod\$3 or encod\$3 or decod\$3) and 'pdtch'	6
Γ	L15	traffic near2 channel same (full or high) near2 rate same (cod\$3 or encod\$3 or decod\$3) and 'pdtch'	2
ľ	L14	traffic near2channel same (full or high) near2 rate and (cod\$3 or encod\$3 or decod\$3) and 'pdtch'	0
£	L13	L11 not 18	3
Γ	L12	L11 not 18	3

 $h \qquad e \quad b \qquad b \quad cg \quad b \quad chh \qquad \qquad e \qquad f \qquad f \quad c \qquad e \quad g \qquad e$

\Box	L11	traffic channel same full rate and (cod\$3 or encod\$3 or decod\$3) and 'pdtch'	5
	L10	L8 not 17	1
	L9	L8 not 17	1
	L8	traffic channel same full rate same (cod\$3 or encod\$3 or decod\$3) and 'pdtch'	2
	L7	('20020108089')!.PN.	2
	L6	traffic channel with full rate same (cod\$3 or encod\$3 or decod\$3) and 'pdtch'	1
	L5	('6188351')!.PN.	2
	L4	11 and traffic channel with full rate and 'pdtch'	4
	L3	('20020108089')!.PN.	2
	L2	11 and traffic channel with full rate same 'pdtch'	2
	L1	traffic channel with full rate	293

END OF SEARCH HISTORY